# Report

of the

# Local Board of Health


LIBRARY OF THE UNIVERSITY
OF ALBERTA



THE CITY OF EDMONTON

**ALBERTA** 

1945



# BOARD OF HEALTH, 1945

Dr. E. A. Hay Roe, Chairman

Dr. R. M. Shaw

Ald. H. D. Ainlay

Ald. C. E. Gariepy

Dr. G. A. Gemeroy, Edmonton Public School Board Mr. J. A. Gallant, Separate School Board

# EX-OFFICIO MEMBERS

Mayor J. W. Fry

Dr. G. M. Little, M.H.O.

Mr. A. W. Haddow, City Engineer

Catharine R. Rose, Secretary

# 1946

Ald. C. E. Gariepy, Chairman

Dr. R. M. Shaw

Mrs. Ald. E. Browne

Dr. E. A. Hay Roe

Mrs. F. C. Butterworth, Edmonton Public School Board Mr. J. A. Gallant, Separate School Board

# EX-OFFICIO MEMBERS

Dr. G. M. Little, M.O.H.

Mr. A. W. Haddow, City Engineer

Catharine R. Rose, Secretary


# STAFF:

Dr G. M. Little, D.P.H.
Catharine R. Rose
John H. Blackburn
Harry G. Chase
George B. Hill
Arthur P. Methuen
Ian D. F. Shaw
John D. Williams
Robert T. Anderson
Dr. D. M. Morrison, V.S.
Cyril Ellinger
Harry C. Graham, B.A.
Mss M. Griffith, R.N.
Miss S. C. Christensen, R.N.
Miss K. D. Derbyshire
Miss M. Deagon
Miss S. Milne



# CONTENTS:

Annual Report of M.O.H.		3
Financial Statement		5
Summary of statistics		7
Vital Statistics		6
Infant Mortality		
International List of Causes of Deaths	8.	9
Principal Causes of Deaths	10. 1	11
Isolation Hospital		11
School Medical Services		11
Immunization		11
Communicable Disease	12, 13, 1	14
Public Health Nursing	15.	16
Health Inspection		
Food Inspection		
Dairy Inspection		21
Laboratory Report		



# Annual Report of the Medical Officer of Health

Chairman and Members, Local Board of Health, City of Edmonton.

#### Ladies and Gentlemen:

Herewith is submitted a report of the activities of the Board during the year 1945, and also a summary of work done by co-operating agencies.

#### Birth Rate:

The birth rate of 24.1 per 1,000 population is the highest since 1928, in which year the rate was 30.6. During this interval a low point of 16.8 was reached in the mid-depression year of 1936.

#### Death Rate:

There was no significant change in the general death rate from the previous year. Death from heart disease, however, showed a decided increase of 24.1 per hundred thousand population. Of the 232 citizens dying from this disease, 204 were fifty years of age or over. This reflects the strenuous efforts put forth by this older age group during the war years.

A notable increase in deaths from diabetes, particularly in citizens past middle age, suggests the need for periodic medical examination for that age group so that this insidious disease, amongst others, may be detected while effective treatment may be instituted.

Deaths from accidents showed a marked increase in number and variety. Automobile accidents again take the lead with eleven deaths from this cause. Unless we can educate our citizens to greater caution, this toll is likely to increase as more motor cars become available to the public.

### Communicable Diseases:

A marked reduction in cases of communicable disease occurred during 1945. Only two cases and five carriers of diphtheria were reported. This is warning to parents, however, that this deadly disease is still able to threaten, and that no child is safe until immunized against it.

Pulmonary tuberculosis still remains the greatest killer amongst our communicable diseases, with twenty-eight deaths. Almost all these victims were in the prime of life. This tragedy may quickly be abated if our citizens will availthemselves of the X-ray clinic survey periodically offered free to all by the Provincial Tuberculosis Service. Early diagnosis is our greatest assurance of cure.

Of forty-three deaths from pneumonia, eleven were in the very young, under one year of age, and twenty-nine were fifty years or over. At these ages, neglect of even slight respiratory disease can quickly prove disastrous.

Venereal disease has increased since the end of the war. With the excellent control service being maintained by the Provincial Hygiene Clinic, and with many more of our citizens getting settled into normal peace-time occupations, a reduction in such cases is anticipated.

Some 11,274 immunization procedures were carried out in our immunization clinic which operates every business day of the year. This work has reached the level where few babies and pre-school children are presented at the welfare clinic who have not had some protection. These, coupled with immunization done by school medical services, are steadily bringing certain communicable diseases under satisfactory control.

# Child Welfare:

Our infant mortality rate of 31.1 per 1,000 living births compares favorably with other centres of the Dominion, but we believe that a still greater saving of babies is possible.

Premature birth remains the greatest single cause of infant deaths. Many of these may be prevented if mothers will only place themselves under their physician's supervision during pregnancy.

The Baby and Pre-school Clinic, operated in co-operation with the Provincial Department of Health, has again increased the number of children served. This clinic is providing an outstanding service for protection of the health and normal development of these children from our city and the adjacent rural area.

#### Sanitation:

The war, with accompanying lack of equipment and need for make-shift procedures has left us with many formidable post-war problems in sanitation.

Our sanitary department has been re-organized, however, and is again at full strength. We anticipate that these problems will be gradually overcome.

Our veterinarian continues to inspect all meats slaughtered in the two local abattoirs. Tuberculous pork remains the greatest single cause of condemnation. Our information in this respect is transmitted to the provincial officers concerned with such problems.

Our milk supply has been threatened by shortage during 1945. An adequate and safe milk supply made readily available to all families is an outstanding factor in protection of the health of our people, particularly our young people. It is to be hoped that the Dominion Government will consider this fact in their reported contemplation of removal of their subsidy on this product.

#### General:

The end of the war has increased rather than decreased our problems in public health. Housing remains a pressing and troublesome problem. Shortages in many varieties of sanitary equipment have added difficulty to the situation. However, with the co-operation of our citizens, without which any civic service must fall short, and with a continuation of the reasonable tolerance which our citizens displayed during the difficult war years, these difficulties will be overcome to the great advantage of the public health.

We are grateful for the co-operation and assistance of officials of the Provincial Department of Health, and of the Provincial Laboratory who have made their services so freely available to us.

Respectfully submitted,

G. M. LITTLE,

Medical Officer of Health.

# EXPENDITURE

1. 2.	Salaries \$ Supplies	36,394.23 1,077.61	\$ 36,401.83 1,029.15
3.	Transportation	5,360.69	5,295.58
4/6.	Telephones, Sundries, Uniforms	882.24	1,187.24
7.	Pensions	3.071.52	2,501.24
	Bathhouse included in a/c 1 and 2)		
	\$	46,786.29	\$ 46,415.76

# REVENUE

Permits		\$ 643.00
Meat Inspection		1,168.70
License Department		1,500.00
	œ.	9 211 70

 3,311.70
 3,456.85

 \$ 43,474.59
 \$ 42,958.91

# EXPENDITURE—CLASSIFIED—1945

		Administration	Communicable Disease	Dairy Inspection	Food Inspection	Laboratory Service	Public Health Nursing	Sanitation	Vital Statistics	Buth House	TOTALS
1.	Salaries\$	7,215.40	\$3,190.90	\$2,453.93	\$3,079.99	\$2,803.81	\$3,631.76	*12,671.64	\$1,000.63	\$316.17	\$36,394.23
2,	Supplies	726.74	63.90	9.00		65.93		18.72	83.54	109.78	1,077.61
ς,	Transportation .	512.08	1.197.76	829.88	240.00	109.03	493.37	1,678.57			5,360.69
4.	Telephones	119.20	65.76	18.00	17.76	20.64	17.88	97.15			356.39
5.	Sundries	70.01	185.30		62.18	20.78	29.76	48.81			417.14
ń,	Uniforms				24.46		18.00	66.25			108.71
Ŧ.	Pensions	3,071.52									3,071.52
	\$:	11,744.95	\$4,703.62	\$3,310.81	\$3,424.69	\$3,320.19	\$4,190.77	\$14,581.14	\$1,084.17	\$425.95	\$46,786.29
		25.17	10.147	7.24	7.47	7.1%	8.84%	31.24	2.307	.907	100%
		25.1	10.1	7.2	7.4	7.1	8.8	31.2	2.3	.9	100

# SUMMARY OF STATISTICS

Area of City 26,778 acres including 1,000 acres of water and 2,147 acres in Parks.

	1945	1944	1943	1942	1941
Population	111,745	108,416	105,536	96,725	92,404
Persons per acre of land	4.1	1.0	3.9	3.8	3.6
Cost per capita	.41	.39	.38	.42	.41
School enrolment	17,714	17,623	17,337	17,315	17.536
Natural increase of population	1,831	1,622	1,629	1,260	1,083
Total births	4,726	1,286	4,083	3,526	3,230
Resident births only	2,695	2,447	2,443	1,972	1,805
Rate per 1,000 population	24.1	22.6	23.1	20.3	19.9
Total stillbirths	83	61	67	55	67
Resident stillbirths only.	53	39	23	39	28
Rate per 1,000 births	19.6	15.9	13.2	19.3	15.5
Total deaths	1,425	1,498	1,342	1,195	1,205
Resident deaths only	864	825	841	712	722
Rate per 1,000 population	7.7	7.5	7.7	7.3	7.8
Total deaths under 1 year of age	159	159	124	127	110
Resident deaths under 1 year of age	84	82	62	68	58
Rate per 1,000 living births	31.1	33.5	25.4	34.5	32.1
Maternal deaths (city only)	6	3	4	1	3
Rate per 1,000 births	2.22	1.25	1.63	.25	1.66
Marriages	2,098	1,839	1,640	1,590	1,425
Rate per 1,000 population	18.8	17.1	17.6	23.0	21.6

# VITAL STATISTICS

# Births

Birt	ns			
Total births Resident births only Male Female Attended by Physician Attended by Nurse Unattended Double births Born in Institutions—2,685 or 99.6			2,695 1,392 1,303 2,690 1	1944 4,286 2,447 1,255 1,192 2,438 6 3
Maternal Parentage: Canada British Isles Europe and Asia U.S.A. Other countries	215 or 8.0 91 or 7.9 212 or 3.3	% % %	1944 1,969 or 182 or 127 or 163 or 6 or	7.4% 5.2% 6.7%
CA:III.				
Total stillbirths Resident only Male Female Born in institutions Born clsewhere		53 24 29 53		44 61 41 18 23 41
Cause of Foetal deaths:  Dystocia Prematurity Toxaema of pregnancy Malformation Placenta and membranes Other conditions		6 2 11 3		44 27 3 3 4 
Deat	ths			
Total deaths Resident deaths only Male Female		864 519	4.	
Racial (	Origin			
Canada British Isles Europe and Asia U.S.A. Others	325 or 37.7 125 or 14.3 60 or 7.0	% % %	1944 289 or 320 or 137 or 57 or 22 or	$\frac{38.8\%}{16.6\%}$
Infant M	ortality			•
Total deaths under 1 year of age		84 52 32		44 59 82 43 39 33.5

1945
TY
ALIT
ORT
T
AN
Z

	adtnoM \$1-01	
	sdrnoM 6 -7	
	stanom 8 -4	
	1- 3 Months	8
	Total Under I Month	1 1 1 4 2 4 2 1 1 1 2 2 2 2 2 2 2 1
	<b>ңғи Ме</b> ек	6
X	3rd Week	80
ACE	2nd Week	0.00
ΒY	1st Week	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	tst Day	1 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	<b>December</b>	
	November	
	October	
	September	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Ħ	t≈uguA	
MONTH	$\mathbf{v}$ lu $\mathbf{t}$	
	əunf	
ВХ	VaM	<del>                                </del>
	lirqA	13   1   1   1   1   1   1   1   1   1
	Матећ	
	February	.m : : : = = : : = : :   : = :   : =   :   9
	January	24
X	Female	
SEX	Male	.
	TOTAL	
		33b —Influenzal meningtiss.  81 —Meningtis strepotococcus 83d—Permaturity associated with Jaundice. 84a—Mental deficiency 106a—Acute Bronchiis 106 —Percunonia (unspecified) 107 —Bronchopneumonia 108 —Diarrhoca and Enteritis 108 —Diarrhoca and Enteritis 108 —Diarrhoca and Enteritis 107 —Congenital Hydrocephalus 107d—Congenital Melformations of central nervous 107d—Congenital malformations of heart 107d—Cother congenital malformations of heart 108 —Congenital debility (cause not stated) 108 —Pernature birth 108 —Pernature birth 109 —Pernature birth 109 —Pernature birth 109 —Corflegration 109 —Corflegration 109 —Corflegration 109 —Corflegration 109 —Obstruction, suffocation, puncture ingested objects.  TOTALS
		88 8 8 8 9 110 110 110 110 110 110 110 110 110 1

1945
DEATH,
OF
CAUSES
0F
CLASSIFICATION
INTERNATIONAL
ABRIDGED

	1	j					, I		- 11			1			l		Į.	ļ			i	
	Total	al M	F Under 1	63	3 4	5 10 14	15	20	25 30	35.	9 =	£ 5	50.0	55 60	65	0.1	ie e	085	85 90		100	
1. Typhoid and Paratyphoid Fever			• :	i	:						<b>:</b> .	-				:	ē ,			? + ·		
6. Tuberculosis of Respiratory System		17	: . : : : :		. :	: :	. !	: <del></del>		. 1	. 🗝	. 00	: 200	1		1 1	. 51	1:		: :	: :	
7. All other forms of Tuberculosis.	. ¥ . 5.		6	1 1	. :	:	<del>-</del> .	: :	2 -	 	:	- :				: :	1			. :	: :	
9. Syphilis	r ⊠i	; <del></del>	: !	. !		-	: : _		. :			. :	· : <del></del>	:-		i		:			: :	
10. Influenza	⊾≱¦	: 1		1:	1 '	1 1	1 1	: .	1 :		: :	1 ;	- :			: 1	į		1 .	1 :		
14. Other infectious or parasitic diseases	. <del>T</del>	÷ 21	 81				. :				: =	: :	. :			1 1				: :	+ :	
15. Cancer and other malignant tumors	:¥;		S1 1		: : ·			_	· ·	10	10	. ec.	;1-	10 9	15	16	6	. 4	: re	: 61	: :	
16. Nonmalignant tumors, Tumors unspecified nature	M.	-#	: : ā		. ;	- : - :		. 1	. 1	21 21		×				<b>ω</b>	<b>.</b>	o1 :	- :	: :		
17. Chronic Rheumatism and Gout	E E		- ;				:		: :	:	<b>~</b> :	1 1		1			1:	21	11 1	1.	: :	
18. Diabetes mellitus	ુક - ક	6	- : - :	: .							٠.	1.1	: 1		-	61	; <del>च</del>			1 .		
19. Chronic or Acute Alcoholism	- Z		· :		1:	: :	11	1:	<del>-</del> ;		• :	<u>.</u> .	-	ତା :	φ	1.	¢1 ;	e1	1 1	1 :		
20. Avitaminoses, other general diseases of blood, chronic poisonings	7 M 1:9	. 11		: :	: . ! =	: :		1 :	1 1	: -	1 .	: :		. 61		. =	<b>.</b> ≎1	; =	П	: :	. !	
21. Meningitis (neumeningeceal) diseases of spinal cord	: " - ¥:	: -			1 :		: :		- :	_ !	- 10		1 :	- :		: :	: :	: :		: :		
22. Intracranial lesions of vascular origin			n - 1	-	1 '		1:	1:	1:		; -	1 1	. 20	.23		: =	73	ro	~7		1:	
23. Other diseases of Nervous System and sense organs			e l'					:	-	- :	<b>-</b> :	<del>-</del> :		. ,		nc <del>-</del>	<u> </u>	oc :				
24. Diseases of Heart.	.M 232	155	 		1 '		::		ç1 :	· _ ·	, re	: =	13 1	0 28	23	21	19	12	; . ; G	1 1	1 :	
25. Other diseases of the Circulatory System	M 20	:2:		1:	1:	1:	::	- :	<b>-</b> ;	- :	<b>-</b> :	ere :		01		oc →	10	7 20	rc 61	· .	. :	
26. Bronchitis		. 22		61	::	: :	: !	11	1	. :	1 1	: :	, :			<b>-</b> :	: :	- ;	H :		: :	
27. Pneumonia and Bronchopneumonia	. St - M.	30	 ∶مد د	: :	:			: 1	1	: .	. 2	: 1		. 2.	1	61	-	1.0	. sc		1:	
28. Other diseases of Respiratory System	Z Z	: t=	6 : 6	1.:	: !		1:1	:	;- ;		1	1 1 1	· :11			- : :	نه . ا				: 1	
															١	:	i	•	:	:	:	

	1																							1	
	Total	X	<u>.</u>	Under $1$		20	7	10 ರಾ	21	15 19 22	20 25 25 25 25	20 20 20 20 20 20 20 20 20 20 20 20 20 2	- 22 23 24 24 25 25 26 26 26 27	40	£ €	51	5.55	 9 <del>1</del> 5	65 69 69	-   -   -   -   -   -	2 Z 2 Z	£ £	8 5	88	100
29. Diarrhea and Enteritis.	M 11	x.		10 t	?i	:	:	-					:			1			-			i	1		;
30. Appendicitis	. T	:-	ro :	m	1 1	. i	: ¬		1	1 1	: 1		: 1	: :	- 1	. :	: .						: .	: :	: :
31. Diseases of liver and biliary passages		: 10	: 1			1 :	: :	: :			1 :	1 .	: !	:	. :	. •	: :	1 1	20 1			•	: '	11	1 1
32. Other diseases of digestive system	.01 M.	: 2-	x :	: :	1 1	1 1	: :	<u>:</u> →	: :		11'	1.	1.			٠.			n .	,	21	_		1 .	. ;
33. Nephritis.	. L.	:=	m ·			: :	٠.	:	:		• :			<b>-</b> ·	:	-	-	-	:	– ന		1	1 .		1 1
$^{ m F}$	:9 :X	: 9	<b>ب</b>	: :	1 .	: :	: .	: :	: :		: :		:	:		. :	,	. :	. :		_	~ ~		. :	: -
35. Puerperal infection	. Z	: ;		. :	. !	:	1	: :		: -				;			::	:	:	. ,					
36. Other diseases of pregnancy, childbirth, and puerperium.	- W	. 1	. to	;	1 4 1 4						; 	_			*	:							:		. :
37. Diseases of skin, cellular tissue, bones and organs of movement	. e	: =	<del>-</del> " (	: .	:				. :		: 12	21		ī	: !				; •						: :
38. Congenital malformations and debility, premature birth, diseases peculiar to first year of life.		. 89	N :	333			. :	:						:					- :	_	•				: :
39. Senility	: E	: 10	75	. 21	:	:					:			i	1.	1:		:				. 23			
40. Suicide	ຸດ ເ.≭ເ	23	13	: :	. 1			. :		_			. •	1	: :	•		,		- :	o1	 	60		:
42. Automobile accidents	. II	; œ	+ : c	: :	1 1		٠.	٠.			0	: 01	`	: :	:	Н	<b>-</b> :		. 1			: 1	. :		. !
43. Other violent or accidental deaths	4FM 39	29	10	· ·		c1 .	111	11.			i	: :01	- 67	11	:-:	20 .	- 2	7 .	· :च :		-		1::	1::	111
:	• : • r•.	: :					: .	: :						;	i	: :	: '	: :				1 1	: :	:	
Total Male		519	345	52 32	3 2 2	eo :	-		01 20	10 W	6 14 8	∞ <del>4</del>	11 01	11 22	20	40	833	62	60 6 37 2	25 3	53 33 38 37	3 27	. 11	: =	: .
Total Deaths	864	519	345	ž	-	-	-	1	. 10	9	66	; -	. 5	1 2	13	1 -	63	- 3	5		1 70		1 2	: -	

#### PRINCIPAL CAUSES OF DEATHS-1945

	PRINCIPAL CA	USE	s o			HS—	1945				
				1	945				19	11	
		Total	Male	Female	(6 of Total Deaths	Rate per 100M Population	Total	Male	Female	ς of Total Deaths	Rate per 100M Population
90- 95	Diseases of the heart	. 232	155	77	26.8	207.6	199	134	65	24.1	183.5
45 55	Cancer and other malignant tumors	148	91	57	17.1	123.5	132	68	64	16.0	121.7
83	Intracranial lesions of vas- cular origin	. 93	38	55	10.7	83.2	84	46	38	10.1	77.5
157161	Congenital debility, pre- mature birth, diseases peculiar to first year of life, congenital malformations	55	33	22	6.3	49.3	45	27	28	5.3	41.5
107109	Pneumonia and broncho-										
163198	pneumonia	59	$\frac{42}{30}$	17 13	$\frac{6.8}{4.9}$	$\frac{52.8}{39.3}$	40 .41	$\frac{31}{25}$	9 16	$\frac{4.8}{4.9}$	$\frac{36.8}{37.8}$
13 22	Tuberculosis, all forms	. 28	18 9	10 16	$\frac{3.2}{2.9}$	25.0	$\frac{26}{19}$	15 8	11	$\frac{3.1}{2.3}$	$\frac{23.9}{17.5}$
61 130132	Diabetes mellitus .	. 17	11	6	1.9	$\frac{23.2}{15.2}$	48	24	11 14	5.7	44.2
162	Senility	17	5	12	1.9	15.2					
ח	TOTALS	. 717	432	285	81.8						
	MORTALITY 1	FRO		EAR		ISEA Parcer		o.f	Date	e per 1	un <b>M</b>
Year	Deaths			rt Dis		Total				pulati	
	864			232		2	6.8			207.	
				199			4.1			183.	
				$\frac{202}{197}$			4.8 7.7		$191.4 \\ 203.4$		
				166		_	3.0		$\frac{203.4}{179.4}$		
	MORTALI	TY	FRO	M (	CANC	ŒR					
Year	Total Deaths			ths F		Perce Tota	ntage l Deat			e per l opulat	
				148			7.1			123.	
	825			132		14	6.6			121.	7
	814			121			5.0			114.	
				$\frac{117}{105}$			$\frac{5.6}{4.8}$			114. 113.	
	ALITY FROM INTRACRA	ANIA	L I		ONS			CUI	LAR		
Year	Total Deaths			ths Fr		Percer Total				e per 1 pulat	
			111	93			0.7			83.	
	825			84			0.1			77.	
	814			74			9.0			70.	-
				62			8.7			63.	
1941		v m	οσм	72 DN	DIIM		0.0			77.	8
	Total	r r. i		ths F		Percei		o.f	Dot	e per l	100 <b>W</b>
Year	Deaths			eumo		Total				pulat	ion
1945	864			43			4.9			39.	
				41			4.9			37.	
				$\frac{47}{32}$			$\begin{array}{c} 5.8 \\ 4.6 \end{array}$			44. 33.	
1942 $1941$				31			$\frac{4.0}{4.3}$			- 33.	
**	MORTALITY	FRO	м т		ERCI	uLos					
Year	Total Deaths			aths I bercu			entag I Dea			te per opulat	
				28			3.2		-	25.	
1944	825			26			3.1			23.	9
1943				20			2.4			18.	
	712			24			$\frac{3.3}{2.6}$			24.	
1941				26			3.6			28.	T

LOCAL	Board	of HE	ALTH				11
MORTALITY FR	OM E	XTER	NAL C	AUSE	$\mathbf{s}$		
Feb. 1945 September 1945 September 1945 September 1945 September 1945 September 1945 September 1946 September 1	17 9 11 11 16	9 5 4 9 6 Suicide	Homicida	1 Automobile 1 Automobile 1 Accidents	2 2 2 3 C C Cother 2 9 2 2 3 2 C C C C C C C C C C C C C C C C	6 gr 9 p 9 Percentage 6 gr 7 gr 8 gr Deaths	2. 6. 8. 8. 9. 100M 8. 0. 8. 9. 100M 8. 0. 8. 8. 8. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9.
ISOLAT	TION :	HOSPI	TAL				
Six hundred and fifty-six pa from 1944 making a total of 733. remained in hospital at the end The diseases hospitalized incl Scarlet Fever	There of the uded: 882 9 12 8 5 29 5 10 10 38 4	Who Vince Septi Other Tube Meni Vince Diph W. (Compared to the Compared to the	oping (ent's A ic Sore r conditre des reculosis ngitis ent's A theria Cough:	Cough ngina Throa itions aths incs (T.B.) ngina	t	died an	20 8 13 85 3 1
Rubella	2	-	r cond				6
SCHOOL MEDICAL SERVICES           Public School Board         Public School Board         R.C. Separat           Complete examinations         5242         684           Number reported with defects         1927         117           Number reported without defects         3315         567           Parents present at examination         3509         60           Homes visited by nurses         593         63						pard	
Number reported with defects  Number reported without defects Parents present at examination.	 S 			5242 3318 3509 593	2 7 5 9	68- 11' 56 6'	4 7 7 0 3
Number reported wth defects Number reported without defects Parents present at examination. Homes visited by nurses Talks to classes	MUNIZ		N	5242 3318 3509 593	2 7 5 9	68- 11' 56 6'	4 7 7 0 3
Number reported with defects  Number reported without defects Parents present at examination. Homes visited by nurses  Talks to classes  IMN  1945	S	Scarlet Fever	Whooping Cough	Typhoid 192, 2545,	Tetanus	Schick Test 9999	Dick
Number reported wth defects  Number reported without defects Parents present at examination. Homes visited by nurses  Talks to classes  IMI  1945  Board of Health (cases)	MUNIZ MUNIZ 1161 3584 2320	ATION Page Starlet 436 2250	N guidooyy y dinooyy 1262 4515	5242 	2 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	68 111 56 6 6 6 82 82 82 82	4 7 7 0 8 
Number reported with defects	MUNIZ Diphtheria 1161 3584	ATIO1  Scarlet 436 2250	N guidoon M Pool 1262 4515	5242 192' 3311 3509 593 190 47 159	2 2 7 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Schick Test 7 Te	4 7 7 0 3 7 1 1 1 1 1 1 1
Number reported with defects.  Number reported without defects.  Parents present at examination.  Homes visited by nurses.  Talks to classes.  IMI  1945  Board of Health (cases)	MUNIZ MUNIZ 1161 3584 2320 3771	ATION  Scarlet  436 2250	N gundooy M 2010 1262 4515	5242 1922 3311 3500 196 47 159	2 7 7 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	68 111' 56 66 66 66 66 82 28 28 28 28 28 28 28 28 28 28 28 28	4 7 7 0 3 7 1 1 1 1 1 1 1
Number reported with defects.  Number reported without defects Parents present at examination. Homes visited by nurses  Talks to classes  IMM  1945  Board of Health (cases)	MUNIZ  1161 3584 2320 3771 324	ATION  Value 1  436  2250	N guidooy 48000	5242 1922 3311 3509 593 190 47 159	27 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	688 111' 566 66 66	4 7 7 7 0 8 8 8 7 1 7 1 7 1 7 1
Number reported with defects. Number reported without defects Parents present at examination. Homes visited by nurses	MUNIZ  ei.əqqidiQ  1161 3584 2320 3771 324 947 3805	436 436	N quidooq quinoo quinoo quinoo quinoo quinoo quinoo quinoo quino q	5242 1922 3311 3500 593 190 47 159	2 Tetanus 2	68 111' 56 66 6.  82 82 82 82 82	4 7 7 7 0 83  71 71 71 
Number reported with defects. Number reported without defects Parents present at examination. Homes visited by nurses	MUNIZ  1161 3584 2320 3771 324 947 3805 517 1346 4156 3548 5153	436 2250 436 35 1205 6122	N	5242 1922 3500 593 196 47 159 47 14 47 130	27 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	82 82 109 109	4 7 7 0 0 3 3 7 7 7 7 1 7 1 1 1 1 1 1 1 1 1 1 1 1
Number reported with defects.  Number reported without defects.  Parents present at examination.  Homes visited by nurses.  Talks to classes.  IMI  1945  Board of Health (cases)	MUNIZ  1161 3584 2320 3771 324 947 3805 517 1346 4156 3548 5153	436 2250 436 35 1205 6122	N	5242 	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	82 82 82 1109 109	4 7 7 0 0 83 

# COMMUNICABLE DISEASE, 1941-1945

19	45	194	14	194	13	194	2	194	1
C	D	$\mathbf{c}$	D	$^{\rm c}$	$\mathbf{D}$	C	D	$\mathbf{c}$	$\mathbf{D}$
Actinomyersia						2			
Chickenpox		1793		745		726	****	1039	
Diphtheria 2		5		11	1	7	2	4	
Diphtheria carriers 5		16		12		4		1	
Dysentery				2					
Encephalitis Lethargica	1	******		3				*** **	
Erysipelas		17		18		17		31	
Influenza	2		6		11		Ж		9
Measle:		2120		1926	1	673		1631	
Meningitis (meningococcie) 4		3	2	9	2	3	1	16	1
Mononucleosis (infectious)		1							
Mumps 1880		397		1076		2006	.,	499	
L'aratyphoid Fever		1		1		1		4	1
*Pneumonia (lobar) 2	15		9		11		6	3	7
Poliomyelitis		5		7				15	
Puerperal Septicaemia			1						1
Rubella 277		77		330		653		3266	
Scarlet Fever 371		1010	1	513	2	512		198	
Septic Sore Throat 7		4		8		24		23	,
Tuberculosis (Pulmorary) 64	26	69	20	133	15	68	17	47	23
Tuberculosis (other forms)	2	2	6	4	5	6	7	3	3
Typhoid Fever 2				1				3	1
Undulant Fever 3		1						2	,
Vincent's Angina 28	1	20		1		1			
Whooping Cough		222	2	856	2	356	1	166	
Venereal Disease—									
G.C. Vaginitis		4		3					
G.C. Ophthalmia				1					
Gonorrhoea 479		308		209		155	·	218	•
Syphilis 108	5	74	6	38	7	71	5	79	. 8
Type Undetermined 5		, -						• • •	
== -							-		
5341	53	64 19	53	5908	57	5287	47	7248	54
Morbidity per 1,000 population 47	.6	60.	3	56.0	)	54.7	5	78.	}
CCases. DDeaths.									

During 1945 reportable disease was responsible for 53 or 6.1 of the 864 City deaths.

Of the 51 adult deaths from communicable disease, 27 were due to all forms of Tuberculosis and 5 to Syphlis.

Of the 5,341 cases of communicable disease—1,800 or 35.2% were due to Mumps, and 1,389 or 26.0% were due to Chickenpox. Scarlet Fever with 374 cases accounted for 7.2% of the communicable disease cases.

	No. of Cases	Percent of Cases	No. of T	Percent of Deaths
Pre-school cases -1-5 years	1245	23.4	1	1.9
School Cases-6-14 years	. 2734	51.3	1	1.9
Over 15 years	1219	22.5	51	96.2
Age not stated	77	1.5		
Armed Forces	66	1.3		••••

<sup>\*-</sup>Incomplete Reporting.

1945
AGE,
ΒX
DISEASE
COMMUNICABLE

	City Casor	Malc F	Femal	Under 1	1/4	5/14	15/19	Over 20	Not Stated	Not Armed Outsid Stated Forces Cases	tsid :
	1389 2 5 19 <b>444</b> 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	693 4 13 1 201 900	696 2 2 1 1 243 3 980	20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	380 1 201 2 245	856 1 1 1 1 159 1233	11 111	11 11 12 23 198	· · · · · · · · · · · · · · · · · · ·	· 년 - 리	12. 6 3. 57. 1
id tis tis ver sis (pulmonary) sis (pulmonary) sis (other forms). Angina Angina Couch.	22 2 2 3 3 3 7 7 7 7 7 7 7 7 7 7 7 7 7 7	117 182 39 1 1 1 116 3	160 192 25 25 1 1 121	6 6	56 112 2 2 93 93	162	222	: :x Ø x - H of H co co	(NA)   이근:	22 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	H 9 X X 21 P P P P P P P P P P P P P P P P P P
	479 108 12 5 5	253 59 4 4 2612	226 49 12 1 22239	: 11 11 12 12 13 13 13 13 13 13 13 13 13 13 13 13 13	3 1098	8 6 6 72734	7.9 4. 1. 33.4	8885 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	× 1 [-	99	192
DEATHS: Encephalitis Lethargica Influencia (lobar) Syphilis, Tuberculosis (pulmcnary) Tuberculosis (other forms) Vincent's Angina	11 15 26 26 26 26 26 26 26 26 26 26 26 26 26	123: 124 4 4 1 1 3 4 1 3	ाकसळनच धू		· . [ * ]						

\*Incomplete reporting.

61

'n

ro

9

91

36

52

30

01 m = x -- --

Encephalitis Lethargica Influenza.
Pneumonia (lobar)
Syphilis.
Tuberculosis (pulm.)
Tuberculosis (other forms)

1945
SEX,
AND
Y SEASON A
ΒX
DISEASE
CABLE
MMUNI
3

Actionovaceis.  Actionovaceis.  Actionovaceis.  Diphtheria  Disphtheria  Disphther	1389 2 2 44 44 44 44 44 44 44 44	•	:							,						, caes
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	19 19 19 19 19 19 19 19 19 19 19 19 19 1		:11			20	90	70	208	284	108	59	153	151	121	71:
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	444 44 4 1880 1880 377 7 7		- 9	. : 	. 6			: <del></del>	: : 6	: !	: -	- 61			. 2	່ແແ
1880   900   980   86   163   270   276   241   149   74   47   45   106   185     277   117   160   7   6   82   28   13   11   7   26   85   57     874   182   192   54   37   42   28   28   13   11   7   26   85   57     874   182   192   54   17   10   5   5   4   1   2   4   1   1   7   26   85   57     875   182   192   14   10   5   5   5   4   1   10   7   4   1     875   182   182   18   18   18   18   18	1880 1880 277 374 7				- 61	23 - 1	37	69	118	49	21	18 1	. 61	17	59	15
277         117         160         7         6         82         47         111         47         6         35         57           374         182         192         54         37         42         28         28         13         11         47         6         35         57           4         39         25         14         10         5         5         4         1         26         35         57           2         2         1         1         2         4         1         2         4         1         1         2         6         35         57         1	hroat 874 Pulm) 64				163	270	276	241	149	7.4	17	4.5	106	185	238	7 7 7
2     1     1     1     2     2     8     2     1     1     4     2     8     4     1     2     2     2     2     2     1     2     2     2     2     2     2     1     4     1 <td>2777</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>: ::</td> <td>1 :</td> <td>1</td> <td></td> <td> ·</td> <td>: 1</td> <td> vc :</td>	2777									: ::	1 :	1		·	: 1	vc :
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$					23 -1		% 53 58 53 58 53	28 28	111	11	. r	56.3		- t- i	36	. 3 <u>.</u> 0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		80 80		14	10	67 10	70	4		61		9 1		<b>-</b> :	: 10	22.23
$\begin{array}{cccccccccccccccccccccccccccccccccccc$											-	-	1			-
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ï					: N	-		Ī	110			67	. 6	1 6
479     253     226     41     28     31     41     31     30     37     39     48     51     50       108     59     49     9     15     8     11     9     9     11     10     5     7     10       12     12     2     2     2     3     3     1     4     1     4       5341     2612     2229     362     390     497     524     536     651     471     267     227     384     486	28			_		22	319	53	₹x.	- 1c	13	t-	4 t-	t-	11.	11
479     253     226     41     28     31     41     31     30     37     39     48     51     50       108     59     49     9     15     8     11     9     9     11     10     5     7     10       12     4     1     2     2     3     3     1     4     1     4       5341     2612     2229     362     390     497     524     536     651     471     267     227     384     486	Venercal Disease															
ed. 12 4 12 2 2 3 1 1 4 4 1 48 ed. 5341 2612 2229 362 390 497 524 536 655 471 267 227 384 486	479			41 9	28 15	31 8	141	31	. 6 20	37	33 10	& 10	51	50 10	52 4	
5341 2612 2229 362 390 497 524 536 651 471 267 227 384 486	12	:					67	eo :	. !	: :		1	न स	: !	1	*
	5841				390	497	524	536	651	471	267	227	384	486	517	. 192

\*Incomplete Reporting.

# TUBERCULOSIS CONTROL

TUBERCULOSIS CONTROL	
Kinsmen's Club Service: 1944	1944
Total visits by nurse	3986
Visits to T.B. cases	736
Visits to suspect cases	99
Visits to contact cases	2803
Not seen, moved, etc. 59	******
Co-operative visits	237
Provincial Tuberculosis Division:  Examinations—	
Active cases 119	109
Suspects 99	29
Contacts	370
Non-contacts	1155
Total Examinations	2056
Total X-rays2161	1913
Tuberculin tests made	1268
Tuberculin tests, positive	435

# PUBLIC HEALTH NURSING

# Child Welfare

Early in May our offices were moved from the old Telephone Building to our present quarters in the New Market Building. Our offices are clean, bright and comfortable.

The clinics were well attended throughout the year, eighteen hundred and four new cases were admitted, which number exceeds that of any other year.

One hundred and sixty-six out-of-town cases were in attendance and thirty-two letters were written regarding the care and feeding of infants.

Number of clinics held	1944	1943	1942	1941
	200	150	101	83
	6198	5649	4905	3783
	1158	1067	1146	972
Total7420	7356	$6716 \\ 45$	6051	4755
Average37	37		60	49
New cases admitted, babies1523New cases admitted, pre-school281Babies referred to family doctor9Pre-school referred to family doctor16Re-admitted babies10Re-admitted pre-school81	1378 262 25 20 11 81	1320 240 31 36	1119 61 21 24	899 202 28 20

Our thanks are due to Dr. Folinsbee, Dr. Newell and Dr. Collins for their untiring efforts on behalf of the service.

BSc. and Public Health students were with us for observation and field work, also students from the Royal Alexandra hospital.

One thousand, eight hundred and fifty-eight visits were made by the nurses, made up as follows: Babies—1,487; Pre-school—365; Pre-natal—6.

# Victorian Order of Nurses

1	945	1944	1943	1942
Pre-natal visits	422	545	347	399
Obstetrical (nursing care)	8	19	87	77
Obstetrical (advice)	182	1147	1157	693
Newborn (nursing care)	559	666	743	453
Newborn (health supervision)1	654	1373	1287	857
Pre-natal clinics	51	49	46	49
Total attendance	768	982	658	500
Average attendance	15	20	14	10
Mothers enrolled	136			

# HEALTH INSPECTIONS

INSPECTIONS:		
mor derions.	1945	1944
Dwellings		10,214
Hotels, lodging houses, apartment blocks		1,133
Schools, blocks, public buildings		68
Stores, business establishments		588
Food handling establishments		3,190
Garbage cans, etc		1,984
Streets, lanes, yards, dumps, etc		2,544
Miscellaneous	. 3,188	2,576
	21,571	22,297
Re-inspections	4,552	3,605
Visits assisting Quarantine Officer	55	2,069
NOTICES:		
Written	2,042	1,886
Verbal	,	4,974
Garbage		595
-	7,975	7,455
	1,010	.,
COMPLAINTS:		
Received from public		903
Justified		862
Received from other departments		38
Referred to other departments	52	111
The complaints were made up as follows:		
Garbage, streets, lanes, etc.	186	271
Vermin		219
Housing, plumbing and drainage	190	245
Food and drink	29	41
Miscellaneous	50	127
LICENSES:		
License applications investigated	2,392	2,304
Zionio appirationali di Companya di Compan	•	•
PLUMBING:		
Sewer and water notices issued		18
Sewer and water installed, buildings removed, etc		31
Extension of time granted		38
Plumbing permits issued	1,244	986
Plumbing permits issued for old buildings	44	35 1 172
Alterations to existing plumbing (fixtures)	44	1,173
Privies eliminated through installation of plumbing	44 5	35
Number of septic tanks installed	Ð	

DISINFESTING STATION:		
	1945	1944
Baths	4,005	4,129
Verminous		6
Scabies		315
Disinfested		321
No, of Men Washing Clothes		2,846
Units Washed		8,538 $3,579$
Articles sterilized for the Army	2,425	5,578
SCAVENGING CLEAN-UP WORK:		
Refuse removed during Clean-up Week (cubic yards)	8,140	3,546
ANIMALS, BARNS, STYES:		
Company	392	481
Cow owners		151
Goat owners	38	56
Fur Farm owners		58
FOOD:		
Samples submitted to Provincial Laboratory	12	16
Foodstuffs condemned (lbs.)		2,863
WATER:		
Water samples taken	14	19
Negative	14	8
*Positive	3	14
*Suspicious		
Wells chlorinated	2	11
Wells placarded		4
Ice samples	2	2
*-Wells condemned or further samples taken after chlo	rination.	

### HOUSING:

9,479 dwellings and 1,147 hotels, lodging houses, apartment blocks, etc., were inspected for overcrowding, vermin and other insanitary conditions. Necessary notices were issued.

# POISON GAS FUMIGATION:

Vermin were eliminated from 283 dwellings and blocks by hyrdocyanic acid gas. Inspections were made of all premises before and after fumigation, and the inhabitants warned regarding removal of all foodstuffs, etc.

# **ENFORCEMENT OF REGULATIONS:**

Prosecutions	,	3	1
--------------	---	---	---

During the year, three prosecutions were instituted. One was against a lady for maintaining a nuisance on her property. This was satisfactorily rectified, the nuisance being disposed of.

The second was a prosecution for maintaining horses in an insanitary condition. The defendant was fined twenty dollars (\$20) and costs, and told not to repeat the nuisance.

The third was for keeping a cow in the prohibited zone. A conviction was obtained and a fine of three dollars (\$3) and costs imposed. The animal has been removed from the city.

# FOOD INSPECTION

#### MEATS INSPECTED AND CONDEMNED

MEATS INSPECTED AND CONDE	EMNED		
DC71,	1945	1944	1943
No. of carcasses inspected		3.206	3,754
Carcasses condemned	37	26	32
Portions condemned	189	293	343
Weight (lbs.) of carcasses and portions condemned	19,960	19,285	18,100
Veal:			
No. of carcasses inspected	2.075	2,137	2,141
Carcasses condemned	2,013	5	3
Portions condemned	32	55	41
Weight (lbs.) of carcasses and portions condemned	1,245	1,640	778
Mutton:			
No. of carcasses inspected	1,634	1,850	1,132
Carcasses condemned	13	17	6
Portions condemned		102	22
Weight (lbs.) of carcasses and portions condemned	815	1,130	380
Pork:			
No. of carcasses inspected		3,721	5,396
Carcasses condemned		57	85
Portions condemned		978	1,251
Weight (lbs.) of carcasses and portions condemned	28,305	22,710	$31,\!545$
Totals:			
No. of carcasses inspected	10,988	10,914	12,423
Carcasses condemned		105	126
Portions condemned	1,679	1,428	1,657
Weight (lbs.) of carcasses and portions condemned!	50,325	44,765	50,803
CARCASSES FOUND TO BE INFECTED	WITH	T.B.	
Beef:			
Beef:           Infected	13	8	19
Beef:			.506
Beef:           Infected	13	8	
Beef: Infected Percent Pork:	13 .495	8	
Beef: Infected	13 .495 712	.230	.506
Beef: Infected Percent  Pork: Infected	13 .495 712	8 .230 524	.506 749
Beef: Infected Percent  Pork: Infected	13 .495 712 .15.29	8 .230 524 14.08	.506 749 13.88
Beef: Infected Percent  Pork: Infected Percent  CHIEF CAUSES OF CONDEMNATION	13 .495 712 .15.29	8 .230 524 14.08	.506 749
Beef: Infected Percent  Pork: Infected Percent  CHIEF CAUSES OF CONDEMNATION	13 .495 712 .15.29 DN. 1945	8 .230 524 14.08	.506 749 13.88 Weight
Beef: Infected Percent  Pork: Infected Percent  CHIEF CAUSES OF CONDEMNATION  Beef: Abscess Abscess Multiple	13 .495 712 .15.29 ON. 1945 carcasses	8 .230 524 14.08 Portions	.506 749 13.88 Weight Lbs.
Beef: Infected Percent  Pork: Infected Percent  CHIEF CAUSES OF CONDEMNATION  Beef: Abscess Multiple Actinomycosis	13 .495 712 .15.29 ON. 1945 Carcasses	8 .230  524 14.08  Portions 41	.506 749 13.88  Weight Lbs. 465 775 1,500
Beef: Infected Percent  Pork: Infected Percent  CHIEF CAUSES OF CONDEMNATION Beef: Abscess Abscess Multiple Actinomycosis Adhesions	13 .495 712 .15.29 ON. 1945 Carcasses	8 .230  524 14.08  Portions 41	.506 749 13.88 Weight Lbs. 465 775 1,500 220
Beef: Infected Percent  Pork: Infected Percent  CHIEF CAUSES OF CONDEMNATION Beef: Abscess Abscess Multiple Actinomycosis Adhesions Bruised	13 .495 712 .15.29 ON. 1945 Carcasses	8 .230  524 14.08  Portions 41	.506 749 13.88 Weight Lbs. 465 775 1,500 220 4,120
Beef: Infected Percent  Pork: Infected Percent  CHIEF CAUSES OF CONDEMNATIO Beef: Abscess Abscess Multiple Actinomycosis Adhesions Bruised Decomposition	13 .495 712 .15.29 ON. 1945 Carcasses 	8 .230  524 14.08  Portions 41	.506 749 13.88 Weight Lbs. 465 775 1,500 220 4,120 1,750
Beef: Infected Percent  Pork: Infected Percent  CHIEF CAUSES OF CONDEMNATION Beef: Abscess Abscess Multiple Actinomycosis Adhesions Bruised	13 .495 712 .15.29 ON. 1945 Carcasses	8 .230  524 14.08  Portions 41	.506 749 13.88  Weight Lbs. 465 775 1,500 220 4,120 1,750 1,575
Beef: Infected Percent  Pork: Infected Percent  CHIEF CAUSES OF CONDEMNATION  Beef: Abscess Abscess Multiple Actinomycosis Adhesions Bruised Decomposition Emaciation Pleura-pneumonia Tuberculosis	13 .495 712 .15.29 ON. 1945 carcasses 	8 .230  524 14.08  Portions 41	.506 749 13.88 Weight Lbs. 465 775 1,500 220 4,120 1,750
Beef: Infected Percent  Pork: Infected Percent  CHIEF CAUSES OF CONDEMNATION  Beef: Abscess Abscess Multiple Actinomycosis Adhesions Bruised Decomposition Emaciation Pleura-pneumonia Tuberculosis Oedema	13 .495 712 .15.29 ON. 1945 Carcasses 	8 .230  524 14.08  Portions 41	.506  749 13.88  Weight Lbs. 465 775 1,500 220 4,120 1,750 1,575 2,075 1,130 450
Beef: Infected Percent  Pork: Infected Percent  CHIEF CAUSES OF CONDEMNATIO  Beef: Abscess Abscess Multiple Actinomycosis Adhesions Bruised Decomposition Emaciation Pleura-pneumonia Tuberculosis Oedema Metritis	13 .495 712 .15.29 ON. 1945 Sarcasses 2  9 1 4 5 2 2 1 2	8 .230  524 14.08  Portions 41	.506  749 13.88  Weight Lbs. 465 775 1,500 220 4,120 1,750 1,575 2,075 1,130 450 900
Beef: Infected Percent  Pork: Infected Percent  CHIEF CAUSES OF CONDEMNATION  Beef: Abscess Abscess Multiple Actinomycosis Adhesions Bruised Decomposition Emaciation Pleura-pneumonia Tuberculosis Oedema Metritis Improper Bleeding	13 .495 712 .15.29 ON. 1945 Carcasses 	8 .230  524 14.08  Portions 41  79 17 2 18	.506  749 13.88  Weight Lbs. 465 775 1,500 220 4,120 1,750 1,575 2,075 1,130 450 900 525
Beef: Infected Percent  Pork: Infected Percent  CHIEF CAUSES OF CONDEMNATION  Beef: Abscess Abscess Multiple Actinomycosis Adhesions Bruised Decomposition Emaciation Pleura-pneumonia Tuberculosis Oedema Metritis Improper Bleeding Peritonitis	13 .495 712 .15.29 ON. 1945 Carcasses 	8 .230  524 14.08  Portions 41  79 17 2 18	.506  749 13.88  Weight Lbs. 465 775 1,500 220 4,120 1,750 1,575 2,075 1,130 450 900 525 875
Beef: Infected Percent  Pork: Infected Percent  CHIEF CAUSES OF CONDEMNATION  Beef: Abscess Abscess Multiple Actinomycosis Adhesions Bruised Decomposition Emaciation Pleura-pneumonia Tuberculosis Oedema Metritis Improper Bleeding	13 .495 712 .15.29 ON. 1945 Carcasses 	8 .230  524 14.08  Portions 41  79 17 2 18	.506  749 13.88  Weight Lbs. 465 775 1,500 220 4,120 1,750 1,757 2,075 1,130 450 900 525 875 3,300
Beef: Infected Percent  Pork: Infected Percent  CHIEF CAUSES OF CONDEMNATION  Beef: Abscess Abscess Multiple Actinomycosis Adhesions Bruised Decomposition Emaciation Pleura-pneumonia Tuberculosis Oedema Metritis Improper Bleeding Peritonitis Haem, Septicaemia	13 .495 712 .15.29 ON. 1945 Carcasses 2	8 .230  524 14.08  Portions 41	.506  749 13.88  Weight Lbs. 465 775 1,500 220 4,120 1,750 1,575 2,075 1,130 450 900 525 875

Veal:  Abscess Parasites Bruised Not Bled Pneumonia Miscellaneous (Actinomycosis, adhesions, jaundice)	2 1	Portions 8 18	Weight Lbs. 85 185 365 300 250 60 1,245
Mutton: Bruised	2 8 3	2 57 	125 150 400 140
Pork:	13	59	815
Abscess Multiple Adhesions Arthritis Bruised Burnt Contamination Emaciation Parasites Tuberculosis Decomposition Miscellaneous (Peritonitis, sexual odor, not bled, bull nose, dying condition)  DISEASED ANIMALS	16 6 1 15 1 1 9 10 58	13 61 26 85 228 874 112 1,399	$ \begin{array}{r} 150 \\ 4.125 \\ 855 \\ 975 \\ 815 \\ 2,250 \\ 1,550 \\ 350 \\ 550 \\ 13,140 \\ 1.345 \\ 2.200 \\ \hline 28,305 \end{array} $
Beef	$\begin{array}{ccc} 26 \\ 22 \\ 770 \end{array}$	1944 238 48 102 674 44,765	1943 304 40 11 924 50,803
FOODSTUFFS CONDEMNED BY INS  Canned goods Meat Fruit and Vegetables Fish Ice Cream Sundries Damaged by Fire Poultry  Total (lbs.)	1945 15 154 1,140 29	1944 61 105 80 2,424 193 2,863	1943 4 12  5 38 103 51,488

# DAIRY INSPECTION

#### 1945

Certificates issued Producer-distributors, raw milk	20
Certificates issued Producer-shippers, milk	263
Certificates issued Producer-shippers, cream	28
Certificates issued Pasteurization Plants	
Inspections of Producer-distributors' Dairies	
Inspections of Producer-shippers' Dairies	784
Inspection of Pasteurization Plants	5€
New Dairy Barns erected	5
Dairy Barns remodelled	•
New Milk Houses erected	24
Certificates suspended temporarily	124
Certificates suspended indefinitely	
Applications for certificates of registration refused.	
Certificates issued to retail distributors	400
Permits issued to cowkeepers in the city	452
Reduction tests, milk	
Reduction tests, cream	27
Sediment tests	789
Butterfat tests	913
Phosphatase tests	265
Bacterial plate counts, milk	676
Bacterial plate counts, ice cream	45
Chlorine tests at dairy farms	20
Dairy cattle privately tested for Bang's disease	538
Well water samples taken at dairy farms	
Milk cans condemned	
Written notices to dairy premises	316
Educational circulars to cream producer-shippers	
Prosecutions	

During 1945 the number of producer-distributors of raw milk decreased from twenty to fifteen.

# LABORATORY REPORT

During the year the testing and supervision has been carried out much along the same lines as previously, although the increase in the number of Methylene Blue tests and the uncertainty of times of getting the samples has precluded much other work. Our milk consumption is still maintained at an all time high, and trouble is still experienced in obtaining sufficient milk of satisfactory quality to meet our demands. A further decrease is noted in the number of retailers, but wholesale shippers are still increasing.

There were 789 retail samples taken during the year. All these samples were examined for butter fat content, solids-not-fat, sediment and flavor. Methylene blue tests were also run on all these samples. Over half the samples were also submitted to test for bacteria count, those exceeding 50,000 being given a recount as soon as possible. The pasteurized milk was also tested at least twice a month by the Phospatase test.

A summary of this work is given in the tables below. In the first table the retail milk samples are classified as in previous reports. The ten examinations which were spoiled by the growth of spreaders are of course excluded in calculating the proportion in each group.

Table No. 1, Retail Milk Samples-Bacteria Counts

Special	15,000/ 40,000	40,000/ 100,000	100,000/ 300,000	Over	Spreader	Total
January 32	8	4	6		1	51
February 37	5	7	******		******	49
March 32	9	$^2$	2		******	45
April 34	7	2		1	******	44
May 44	9	2	3		1	59
June 34	4	6		1	1	46
July 21	12	5	5	2		45
August 22	14	4	4	3	3	50
September						
October 14	18	4	1		1	38
November 26	10	8	1			45
December 26	7	7			3	43
322	103	51	22	7	10	515
Percentage63.8	20.4	10.1	4.3	1.4		100

These results are also shown broken down into various ways in the following table:

Table No. 2

Table No. 2	Special	15,000/ 40,000	40,000/ 100,000	100,000/ 300,000	Over	Spr.	Total
Raw Milk	83-39.0%	66-31.0%	41-19.2%	16-7.5%	7-3.3%	7	220
Pasteurized	140-83.8	17 - 10.2	6- 3.6	4-2.4		3	170
Jersey	56-78.9	12-16.9	2- 2.8	1-1.4			71
Homogenized	43-79.6	8-14.8	2- 3.7	1.1.9			54
	322	103	51	22	7	10	515

Some improvement is shown over the previous year, but results are still below our pre-war standards.

In addition samples were taken at regular intervals for the Army Supply Depot and for the C.N.R. of the various products supplied. These were examined for bacteria count, butterfat and phosphatase and as the military forces attach considerable importance to the test, for coliform organisms, this test was applied to all their samples. Thirty cream and 105 milk samples were taken during the year. A summary of these and other tests is shown in the next tabulation.

Table No. 3		
	Number	Average
Retail samples, butterfat	. 789	3.72%
Retail samples, solids not fat	789	8.81%
Retail samples, sediment	789	9.2 %
Special creams—butterfat,		10.1 %
Special milks—butterfat		3.8 %
Chocolate milks, butterfat	. 76	2.3 %
Phosphatase tests	. 223	

# Table No. 4, Bacteria Counts-Special Milks and Creams

Special Creams	$30 - \!\!\!\! -26$	in	Special	Class
Special Milks	10476	in	Special	Class
Chocolate Milks	8652	in	Special	Class
Ice Cream				
Rinse Bottles	14			
Special Milks, coliform organisms	64			

As previously the greater part of the work was in checking the raw milk as received at the plants. The milk collectors still are working under considerable handicap and the delivery service is far from satisfactory. Milk handling equipment in the plants also is still overloaded. As a result it has been increasingly difficult to obtain the samples in reasonable time. There were over twelve thousand samples examined of which 878 failed to make the required grade. This is a better showing than last year, but still calls for improvement. Special tests to the number of 24 were run for producers having trouble meeting our requirements to help them locate the source of their trouble. The results of all the Methylene Blue tests are as listed:

Table No. 5—Methylene Blue Tests		•
	Number	Under 5½ Hours
Producers' Milk	12,136	878
Retail Samples	746	4
Special Tests	. 24	

Regular inspection and supervision was given the swimming pools both City and privately owned, test apparatus and chemicals supplied as needed, and samples of swimming pool water taken for examination. There were 186 samples from the City pools of which 31 failed to meet the accepted standards. Most of these were from one pool where trouble was experienced until extensive repairs were made. None of these samples showed the presence of coliform organisms in the amounts tested so that safety was assured at all times. There were 77 samples taken from privately owned pools and again we had a number of high counts and two positive colon tests.

Samples of tap water were examined for us almost daily by the Provincial Laboratory. Out of 292 samples so tested, 252 gave counts of 10 or under while only 8 gave over 50. One sample was spoiled by growth of a spreading organism. Daily checks were made on the chlorine in the water and the close collaboration was maintained with the water treatment at all times.

Occasional visits have been made to the various sewage plants which have been carrying on satisfactorily.